



目录 CONTENTS

01



企业介绍
BRIEF
INTRODUCTION

02

铝箔制品
ALUMINUM
PRODUCT



03

胶粘制品
ADHESIVE
PRODUCTS



04

薄膜制品
FILM PRODUCTS



The tapes manufacturing base of SINOSTAR Co., Ltd is located in Town of Fuhai, Zhejiang province.

It is equipped with standardized factory building, dust-free workshop and advanced manufacturing equipment. We have six domestic leading tape coating lines, 2 units of three-layer co-extruded PE film blowing machine, 3 units of three-layer co-extruded POF shrink film blowing machine, and over 10 sets of POF bag making machine, cutting machine and fold machine. Furthermore, in accordance with its objective of innovation, development and strict quality control, recently we have established a domestic first-class R&D center. Now we specialize in R&D, manufacturing and sales of various adhesive products, including BOPP adhesive tape, aluminum foil adhesive tape with or without backing paper, double-sided adhesive tape, special adhesive tape, PE protective film, PE stretch film, POF shrink film and etc.

With stringent quality management and various cost saving approaches, we can always promise our clients high quality products at the most competitive price. So far, we have exported to more than 30 countries and regions such as Europe, America, Middle East and East Asia, and won high recognition in those markets. In pursuit of customer satisfaction, we will make great efforts to build up a wonderful package world.

Sincerely we long for your voice and cooperation!

质量管理

质量管理: 精心设计、精益制造、全程服务、成就卓越;

产品质量: 产品即人品, 关注每一个细节, 确保产品品质;

Quality management: elaborate design, lean manufacturing, full service, achievement of excellence

Quality of products: products that moral quality, pay attention to every detail, to ensure product quality



1000型彩色印字高速涂布机
1000 Color printing high-speed coating machine



三层共挤PE、POF吹膜机组
Three layer co-extrusion PE, POF blow film line



1300型BOPP线棒高速涂布机
1300 BOPP wire rod high-speed coating machine



1000#高速凹版印刷机
1000# High-speed gravure print machine



1600#PET保护膜高速涂布机
1000#铝箔高速涂布机
1000#Aluminum High-speed coating machine



原材料、成品仓库
Raw Material, Made-up articles warehouse



一、BOPP无衬纸复合铝箔胶带

Aluminum foil composite BOPP film adhesive tape without liner

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于电冰箱、冰柜及冷冻设备及保温工程、封口接边等。
Widely used in refrigerators, ice boxes, chillers, thermal insulation engineering and sealing edge.




二、PE无衬纸复合铝箔胶带

Aluminum foil composite PE film adhesive tape without liner

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于电冰箱、冰柜及冷冻设备及保温工程、封口接边等。
Widely used in refrigerators, ice boxes, chillers, thermal insulation engineering and sealing edge




七、机用铝箔胶带

Machine-used Aluminum foil adhesive tape

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于电冰箱、冰柜及冷冻设备及保温工程、封口接边等。
Widely used in refrigerators, ice boxes, chillers, thermal insulation engineering and sealing edge.



八、PET镀铝膜胶带

PET film aluminizer tape

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛用于食品包装、香烟包装、包装、印刷、不干胶标签等。
Widely used in food packaging, cigarette packaging, packaging, printing, adhesive labels, etc.



三、PET无衬纸复合铝箔胶带

Aluminum foil composite PET film adhesive tape without liner

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于电冰箱、冰柜及冷冻设备及保温工程、封口接边等。
Widely used in refrigerators, ice boxes, chillers, thermal insulation engineering and sealing edge.



四、无衬纸纯铝箔胶带

Aluminum foil adhesive tape without liner

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于电冰箱、冰柜及冷冻设备及保温工程、封口接边等。
Widely used in refrigerators, ice boxes, chillers, thermal insulation engineering and sealing edge.



九、OPP镀铝膜胶带

OPP film aluminizer tape

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛用于食品包装、香烟包装、包装、印刷、不干胶标签等。
Widely used in food packaging, cigarette packaging, packaging, printing, adhesive labels, etc.



十、PET耐高温铝箔胶带

PET composite high temperature aluminum foil tape

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等。
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.



五、有衬纸铝箔胶带

Aluminum foil adhesive tape with liner

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于电冰箱、冰柜及冷冻设备及保温工程、封口接边等。
Widely used in refrigerators, ice boxes, chillers, thermal insulation engineering and sealing edge.




六、耐高温阻燃铝箔胶带

High temperature flame retardant aluminum foil composite tape

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等。
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.



十一、耐高温玻纤复合铝箔胶带

Aluminum foil fiber reinforced composite adhesive tape

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于管道密封的拼接、固定、抗电子干扰、隔离电磁波、各种器材的保温等。
Widely used in stitching fixing the pipe, resistant to electronic interference, isolation of electromagnetic waves and a variety of equipment insulation.



十二、耐高温防爆铝箔复合胶带

High temperature explosion-proof aluminum foil composite tape

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等。
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.




一、白纸复合铝箔

Aluminum foil composite with white paper

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.



二、PE膜复合铝箔

Aluminum foil composite with PE film

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.



三、OPP膜复合铝箔

Aluminum foil composite with OPP film

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.




四、PET膜复合铝箔

Aluminum foil composite with PET film

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.




五、无纺布复合铝箔

Aluminum foil composite with non-woven fabrics

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.



六、耐高温PET复合铝箔

PET composite high temperature aluminum foil

规格: 宽度(W):24mm-1000mm
长度(L):20m-200m
厚度(T):0.015mm-0.10mm

用途: 广泛应用于车辆、船只、飞机、车厢、机身、船舱等部件及大型高级建筑的隔热隔音装饰装潢等
Widely used in vehicles, vessels, aircraft, cars, fuselage, cabin and the decoration of huge advanced building.



七、PE复合热封铝箔

Pet Composite High Temperature Aluminum Foil

用途: 用于加工牙膏、药膏、化妆品、医药瓶装封口包装。
Used in the processing of toothpaste, ointment, cosmetics, medicine bottle sealing packaging.



八、PE复合铝箔热封纸卡

PE composite aluminum foil with paper

用途: 用于加工牙膏、药膏、化妆品、医药瓶装封口包装。
Used in the processing of toothpaste, ointment, cosmetics, medicine bottle sealing packaging.



九、吸音材料

Sound-absorbing material

规格: 宽度:1000-1200mm
长度:100m-200m
厚度:0.08-0.12mm-1.2mm



十、微孔吸音材料

Microporous Sound-absorbing Material


规格: 宽度:1000-1200mm
长度:100m-200m
厚度:0.08-0.12mm-1.2mm



十一、吸音夹筋材料

Sound-absorbing Reinforced Material


规格: 宽度:1000-1200mm
长度:100m-200m
厚度:0.08-0.12mm-1.2mm



十二、冲孔吸音材料

Punching Sound-absorbing Material


规格: 宽度:1000-1200mm
长度:100m-200m
厚度:0.08-0.12mm-1.2mm



十三、微孔吸音铝箔

Microporous sound-absorbing Aluminum foil

规格: 宽度:1000-1200mm
长度:100m-200m
厚度:0.08-0.12mm-1.2mm



十四、吸音减震材料

Sound-absorbing and shock absorption material

规格: 宽度:1000-1200mm
长度:100m-200m
厚度:0.08-0.12mm-1.2mm



一、BOPP透明封箱胶带

BOPP transparent box-sealing adhesive tape

规格: 宽度(W): 36mm-72mm

长度(L): 10m-1000m

厚度(T): 0.04mm-0.8mm

用途: 适用于各种包装纸箱封口

Used to seal various packages and boxes.



二、BOPP米黄封箱胶带

BOPP cream-colored box-sealing adhesive tape

规格: 宽度(W): 36mm-72mm

长度(L): 10m-1000m

厚度(T): 0.04mm-0.8mm

用途: 适用于各种包装纸箱封口

Used to seal various packages and boxes.



七、双面胶带

Double-sided adhesive tape

规格: 宽度(W): 3mm-60mm

长度(L): 10m-50m

厚度(T): 0.06mm-0.15mm

用途: 适用于文化用品、工业产品的粘贴

Widely used to position or bond stationery and industrial products.



八、布基胶带

Cloth tape

规格: 宽度(W): 36mm-72mm

长度(L): 10m-50m

厚度(T): 0.12mm-0.20mm

用途: 用于展览场馆地毯的粘贴接缝、纸箱封口等

Used to seal exhibition carpet and boxes etc.



三、BOPP印刷封箱胶带

BOPP color-printed box-sealing adhesive tape

规格: 宽度(W): 36mm-72mm

长度(L): 10m-1000m

厚度(T): 0.04mm-0.8mm

用途: 适用于各种包装纸箱封口

Used to seal various packages and boxes.



四、BOPP彩色封箱胶带

BOPP colorful box-sealing adhesive tape

规格: 宽度(W): 36mm-72mm

长度(L): 10m-1000m

厚度(T): 0.04mm-0.8mm

用途: 适用于各种包装纸箱封口

Used to seal various packages and boxes.



九、IXPE特粘胶带

IXPE special adhesive tape

规格: 宽度(W): 10mm-100mm

长度(L): 3m-10m

厚度(T): 0.80mm-2.00mm

用途: 广泛应用于户外广告牌、物品的粘贴

Used to adhere outdoor billboards and articles bonding.



十、PET保护胶带

PET protective tape

规格: 宽度(W): 10mm-100mm

长度(L): 20m-50m

厚度(T): 0.04mm-0.8mm

用途: 冰箱发泡固定、物体之间的拼接、冰箱空调板面的固定粘贴。

Used to fix refrigerator foam, join different goods, fix and bond the panels of the air conditioner and refrigerator.



五、自粘牛皮纸胶带

Self-adhesive kraft tape

规格: 宽度(W): 24mm-72mm

长度(L): 10m-50m

厚度(T): 1.00mm-1.15mm

用途: 适用于各种纸箱封口、纸张粘贴等

Application to various carton sealing or paper adhesion.



六、水性纤维夹筋牛皮纸胶带

Water-soluble fiber reinforced Kraft adhesive tape

规格: 宽度(W): 24mm-72mm

长度(L): 10m-30m

厚度(T): 0.12mm-0.20mm

用途: 适用于多种纸箱封口、属于环保型胶带

Used to seal box and bundle packages.

It is an environmentally friendly adhesive tape.



十一、玻璃纤维胶带

Fiberglass tape

规格: 宽度(W): 10mm-100mm

长度(L): 20m-50m

厚度(T): 0.10mm-0.20mm

用途: 应用于电冰箱、空调面板产品粘贴固定

Used to seal the panels of air conditioners and refrigerators.



十二、单、双面泡棉胶带

Single-sided, Double-sided foam adhesive tape

规格: 宽度(W): 10mm-100mm

长度(L): 3m-10m

厚度(T): 0.80mm-2.00mm

用途: 广泛应用于玩具、家用电器、汽车、通讯等行业中粘贴

Widely used in toy, appliances, automotive and telecommunication.



十三、美纹纸胶带

Crepe masking tape

规格: 宽度(W): 5mm-50mm
长度(L): 10m-50m
厚度(T): 0.08mm-0.13mm

用途: 广泛应用于建筑装潢、家具、电器、汽车喷漆等
Widely used in building decoration, furniture, appliance and automotive spray coatings.



十五、PE低粘保护膜

PE low-adhesive protective film

规格: 宽度(W): 20mm-1240mm
长度(L): 200m-1000m
厚度(T): 0.025mm-0.15mm

用途: 广泛应用于仪器仪表、车灯、塑料件、不锈钢镜面板、铝塑板表面等粘贴保护
Widely used in protection of instrumentation, lights, plastic parts, polished slab stainless steel, aluminium plastic plate.



十七、PE高粘保护膜

PE high-adhesive protective film

规格: 宽度(W): 20mm-1240mm
长度(L): 200m-1000m
厚度(T): 0.025mm-0.15mm

用途: 广泛应用于仪器仪表、车灯、塑料件、不锈钢镜面板、铝塑板表面等粘贴保护
Widely used in protection of instrumentation, lights, plastic parts, polished, aluminium plastic plate



十四、警示胶带

Warning adhesive tape

规格: 宽度(W): 48mm-72mm
长度(L): 10m-50m
厚度(T): 0.06mm-0.12mm

用途: 广泛应用于工厂、警方的现场警示隔离
Policemen use them as warning and isolation line on the site.



十六、PE中粘保护膜

PE middle-adhesive protective film

规格: 宽度(W): 20mm-1240mm
长度(L): 200m-1000m
厚度(T): 0.025mm-0.15mm

用途: 广泛应用于仪器仪表、车灯、塑料件、不锈钢镜面板、铝塑板表面等粘贴保护
Widely used in protection of instrumentation, lights, plastic parts, polished slab stainless steel, aluminium plastic plate.



十八、PE自粘保护膜

PE self-adhesive film

规格: 宽度(W): 20mm-1240mm
长度(L): 200m-1000m
厚度(T): 0.025mm-0.15mm

用途: 广泛应用于仪器仪表、车灯、塑料件、不锈钢镜面板、铝塑板表面等粘贴保护
Widely used in protection of instrumentation, lights, plastic parts, plate, aluminium



一、PVC 热收缩膜

PVC thermal shrinkable film

规格: 宽度(W): 30-1000mm
厚度(T): 0.015-0.06mm

用途: 木地板、家用电器、工艺品等包装
Package of wood floorboard, household appliance, medicine and handicraft.



三、POF环保热收缩薄膜

POF environment-friendly thermal shrinkable film

规格: 宽度(W): 30-1000mm
厚度(T): 0.015-0.03mm

用途: 食品饮料、医药、家用电器、轻工产品等包装
Package of food, beverage, household appliance and light industrial products.



五、PE用手拉伸缠绕膜

PE hand used stretch film

规格: 宽度(W): 500mm
厚度(T): 0.015-0.060mm

用途: 食品、工业产品托盘捆扎包装。
Wrapping and bundling food and industrial products on tray. or equipment insulation.



二、PE环保热收缩薄膜

PE thermal shrinkable film

规格: 宽度(W): 30-1000mm
厚度(T): 0.015-0.03mm

用途: 食品饮料、家用电器、轻工产品等包装
Package of food, beverage, household appliance and light industrial products.



四、三层共挤PE复合膜

Three-layer co-extruded PE composite film

规格: 宽度(W): 1500mm
厚度(T): 0.012mm-0.100mm

用途: 适用于各种线路板、电子产品、精密机械配件、消费品、工业制品、食品等包装。
Used in all kinds of circuit boards, electronic products, precision machinery parts, consumable, industrial products, food and so on.



六、PE机用拉伸缠绕膜

PE machine-used stretch film

规格: 宽度(W): 500mm
厚度(T): 0.015-0.060mm

用途: 食品、工业产品托盘捆扎包装。
Wrapping and bundling food and industrial products on tray.